Stealth 1707 Recessed

LINEAR LED




Product Code

ME04RE

Technical Description

Miss popular for joinery..

- Ideal for cabinet joinery in many types of applications
- Allows for less routing and more shelf to maintain the strength of the structure
- Paired with 180LED/m strip for dot free continuous illumination
- A slimline profile to provide efficient lighting for well-designed office and communal spaces
- If you require a customised version of this product, please contact us



Electrical Specifications

System Power	5W, 10W, 14.4W
Input Voltage	24V DC
Control Type	ON/OFF, DALI, Casambi, DMX

Photometric Info


Luminaire Lumens	400lm, 700lm, 730lm, 880lm, 1675lm
CRI	CRI90
CCT	2700K, 3000K, 3500K, 4000K
Beam Angle	115°
Lumen Maintenance	>50, 000hrs (L70B30)
MacAdam Step	4 Step

Physical Characteristics

Installation Method	Fixed Recessed
Trim Finish	White, Black, Silver
IP Rating / IK Rating	IP20, IP65
Accessories	Linea COB 5W 4mm, Linea COB 10W, Linea 14.4W, Linea-Aqua 14.4W, Linea-HE 14.4W
Weight	0.2Kgs
Fitting Material	Aluminium

Polar Distribution Diagrams

Stealth 1707 115°



Product Accessories

Item	Code	Description
	MAE51EC3	Mondolux Accessories Extrusion End Cap Closed Stealth 1707 Fixed Recessed Silver
	MAE51EO3	Mondolux Accessories Extrusion End Cap Open Stealth 1707 Fixed Recessed Silver
	MAE51EC1	Mondolux Accessories Extrusion End Cap Closed Stealth 1707 Fixed Recessed White
	MAE51EO1	Mondolux Accessories Extrusion End Cap Open Stealth 1707 Fixed Recessed White
	MAE51EC2	Mondolux Accessories Extrusion End Cap Closed Stealth 1707 Fixed Recessed Black
	MAE51EO2	Mondolux Accessories Extrusion End Cap Open Stealth 1707 Fixed Recessed Black
	MAE05DIO	Mondolux Accessories Extrusion Diffuser Stealth 1707/Stealth 1715 Opal 1000mm x W17.2mm
	ML15SM10	Mondolux Flexible Strip Per Metre Linea COB 5W 24VDC 4mm Width CRI90 500lm 480LEDs IP43 50mm Cuttable Length (Available in 3000K/ 4000K)

Stealth 1707 Recessed

Item	Code	Description
	ML15SM40	Mondolux Flexible Strip Per Metre Linea COB 10W 24VDC 10mm Width CRI90 850lm 480LEDs IP43 50mm Cuttable Length (Available in 3000K/ 4000K)
	ML05SM31	Mondolux Flexible Strip Per Metre Linea 14.4W 24VDC 8mm Width CRI90 1100lm 180LEDs IP20 33.33mm Cuttable Length (Available in 2700K/ 3000K/ 3500K/ 4000K)
	ML05SM31-IP65	Mondolux Flexible Strip Per Metre Linea-Aqua 14.4W 24VDC 8mm Width CRI90 1100lm 180LEDs IP65 33.33mm Cuttable Length (Available in 3000K/ 4000K)
	ML05SM42-IP43	Mondolux Flexible Strip Per Metre Linea-HE 14.4W 24VDC 10mm Width CRI90 2000lm (Max.) 160LEDs IP43 50mm Cuttable Length (Available in 3000K/ 4000K)
	MAE05DIB	Mondolux Accessories Extrusion Diffuser Stealth 1707/Stealth 1715 Black 1000mm x W17.2mm